



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/774,721	02/09/2004	Ralf Jockers	FRAV2003/0005USNP	9535
5487	7590	04/21/2006	EXAMINER	
ROSS J. OEHLER AVENTIS PHARMACEUTICALS INC. 1041 ROUTE 202-206 MAIL CODE: D303A BRIDGEWATER, NJ 08807			WOLLENBERGER, LOUIS V	
		ART UNIT	PAPER NUMBER	1635
DATE MAILED: 04/21/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.

Notice to Comply

CRF Sequence Listing

This application contains sequence disclosures that are encompassed by the definitions for nucleotide and/or amino acid sequences set forth in 37 CFR 1.821(a)(1) and (a)(2). However, this application fails to comply with the requirements of 37 CFR 1.821 through 1.825 for the reason(s) set forth below or on the attached Notice To Comply With Requirements For Patent Applications Containing Nucleotide Sequence And/Or Amino Acid Sequence Disclosures.

In the instant case, Applicants have submitted a substitute CRF copy of the sequence listing in the reply filed on 3/10/06; however, the Office's STIC Biotechnology Systems Branch is unable to process the substitute CRF for the reasons given on the attached Raw Sequence Listing Error Report. Thus, the Examiner is unable to search and examine the claims of the instant application.

Applicants are requested to resubmit the sequence listing in corrected form along with the necessary papers and statements.

Applicant is given ONE MONTH, or THIRTY DAYS, whichever is longer, from the mailing date of this letter within which to comply with the sequence rules, 37 CFR 1.821 - 1.825. Failure to comply with these requirements will result in ABANDONMENT of the application under 37 CFR 1.821(g). Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a). In no case may an applicant extend the period for reply beyond the SIX MONTH statutory period. Direct the reply to the undersigned. Applicant is requested to return a copy of the attached Notice to Comply with the reply.


Art Unit: 1635

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Louis V. Wollenberger whose telephone number is 571-272-8144. The examiner can normally be reached on Mon-Fri, 8:00 am-4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's acting supervisor, Andrew Wang can be reached on 571-272-0811. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Louis V. Wollenberger, Ph.D.
Examiner
Art Unit 1635
April 12, 2006



ANDREW WANG
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600

Notice to Comply	Application No. 10/774721	Applicant(s) Jockers et al.	
	Examiner Louis V. Wollenberger	Art Unit 1635	
NOTICE TO COMPLY WITH REQUIREMENTS FOR PATENT APPLICATIONS CONTAINING NUCLEOTIDE SEQUENCE AND/OR AMINO ACID SEQUENCE DISCLOSURES			
<p>Applicant must file the items indicated below within the time period set in the Office action to which the Notice is attached to avoid abandonment under 35 U.S.C. § 133 (extensions of time may be obtained under the provisions of 37 CFR 1.136(a)).</p> <p>The nucleotide and/or amino acid sequence disclosure contained in this application does not comply with the requirements for such a disclosure as set forth in 37 C.F.R. 1.821 - 1.825 for the following reason(s):</p> <ul style="list-style-type: none"> <input type="checkbox"/> 1. This application clearly fails to comply with the requirements of 37 C.F.R. 1.821-1.825. Applicant's attention is directed to the final rulemaking notice published at 55 FR 18230 (May 1, 1990), and 1114 OG 29 (May 15, 1990). If the effective filing date is on or after July 1, 1998, see the final rulemaking notice published at 63 FR 29620 (June 1, 1998) and 1211 OG 82 (June 23, 1998). <input type="checkbox"/> 2. This application does not contain, as a separate part of the disclosure on paper copy, a "Sequence Listing" as required by 37 C.F.R. 1.821(c). <input type="checkbox"/> 3. A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 C.F.R. 1.821(e). <input checked="" type="checkbox"/> 4. A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 C.F.R. 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing." <input type="checkbox"/> 5. The computer readable form that has been filed with this application has been found to be damaged and/or unreadable as indicated on the attached CRF Diskette Problem Report. A Substitute computer readable form must be submitted as required by 37 C.F.R. 1.825(d). <input type="checkbox"/> 6. The paper copy of the "Sequence Listing" is not the same as the computer readable from of the "Sequence Listing" as required by 37 C.F.R. 1.821(e). <input type="checkbox"/> 7. Other: 			
<p>Applicant Must Provide:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> An initial or substitute computer readable form (CRF) copy of the "Sequence Listing". <input checked="" type="checkbox"/> An initial or substitute paper copy of the "Sequence Listing", as well as an amendment specifically directing its entry into the application. <input checked="" type="checkbox"/> A statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. 1.821(e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d). <p>For questions regarding compliance to these requirements, please contact: For Rules Interpretation, call (571) 272-2510 For CRF Submission Help, call (571) 272-2501/2583. PatentIn Software Program Support Technical Assistance.....703-287-0200 To Purchase PatentIn Software.....703-306-2600</p> <p>PLEASE RETURN A COPY OF THIS NOTICE WITH YOUR REPLY</p>			

STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/774,721A
Source: JFLWJ6
Date Processed by STIC: 03/14/2006

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,**
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY**

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.4.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>>, EFS Submission User Manual - ePAVE)**
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450**
- 3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314**

Revised 01/10/06



IFW16

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/774,721A

DATE: 03/14/2006

TIME: 10:49:03

Input Set : A:\Serial No 10-774,721.txt
Output Set: N:\CRF4\03142006\J774721A.raw

3 <110> APPLICANT: JOCKERS, Ralf
4 COUTURIER, Cyril
5 UHLMANN, Eugen
7 <120> TITLE OF INVENTION: OB RGRP
9 <130> FILE REFERENCE: FRAV2003/0005 US NP
11 <140> CURRENT APPLICATION NUMBER: 10/774,721A
12 <141> CURRENT FILING DATE: 2004-02-09
14 <150> PRIOR APPLICATION NUMBER: 60/461,005
15 <151> PRIOR FILING DATE: 2003-04-07
17 <150> PRIOR APPLICATION NUMBER: 0301543
18 <151> PRIOR FILING DATE: 2003-02-10
E--> 20 <160> NUMBER OF SEQ ID NOS: 47
22 <170> SOFTWARE: PatentIn version 3.1

Does Not Comply
Corrected Diskette Needed

(PG-1,2)

→ found 48

ERRORED SEQUENCES

10/774,721A

Pg-2

<210> 37
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Artificial

<400> 37

gugccugucg ggaacuggct t

↳ <213> Response is
Artificial or Unknown
Explains the source of
genetic material. Pls see
Item II on Error Summary
Sheet.



PYI

The type of errors shown exist throughout
the Sequence Listing. Please check subsequent
sequences for similar errors.

VERIFICATION SUMMARY

DATE: 03/14/2006

PATENT APPLICATION: US/10/774,721A

TIME: 10:49:04

Input Set : A:\Serial No 10-774,721.txt

Output Set: N:\CRF4\03142006\J774721A.raw

L:81 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:3,Line#:78
L:181 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:5,Line#:178
L:448 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:7,Line#:445
L:667 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:9,Line#:664
L:1145 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:11,Line#:1142
L:1812 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:13,Line#:1809
L:2431 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:15,Line#:2428
L:2528 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:17,Line#:2525
L:2792 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:19,Line#:2789
L:20 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (47) Counted (48)